

[CLICK HERE FOR FULL CATALOGUE](#)

Outdoor unit	Combinations of indoor units	Capacity of each indoor unit (kW)	Total capacity (kW)	Total power consumption (W)	Total running current (A)	Power factor (%)
MA45EV1	25	2.67	2.67	1170	5.8	92
	35	3.40	3.40	1210	6.0	92
	25+25	1.98+1.98	3.96	1225	6.1	92
	25+35	1.70+2.55	4.25	1235	6.1	92
	35+35	2.24+2.24	4.48	1240	6.1	92
	25+25+25	1.49+1.49+1.49	4.47	1240	6.1	92
	25+25+35	1.31+1.31+1.97	4.59	1240	6.1	92
	25+35+35	1.16+1.76+1.76	4.68	1240	6.1	92

	25+25	2.15+2.15	4.30	1520	7.0	99
	25+35	1.95+2.93	4.88	1550	7.1	99
	25+50	1.78+3.57	5.35	1600	7.3	99

			MA56EV1			
1640	7.5	99	50+50	2.91+2.91	5.82	
1600	7.3	99	25+25+25	1.78+1.78+1.78	5.34	
1625	7.5	99	25+25+35	1.62+1.62+2.42	5.66	
1640	7.5	99	25+25+50	1.45+1.45+2.91	5.81	
1640	7.5	99	25+35+35	1.45+2.18+2.18	5.81	
1645	7.6	99	25+35+50	1.30+1.95+2.62	5.87	
1650	7.6	99	25+50+50	1.19+2.37+2.37	5.93	
1645	7.6	99	35+35+35	1.95+1.95+1.95	5.85	
35+35+50	1.78+1.78+2.37	5.93	1650	7.6	99	
25+25+25+25	1.45+1.45+1.45+1.45	5.80	1640	7.5	99	
25+25+25+35	1.30+1.30+1.30+1.97	5.87	1645	7.6	99	
25+25+25+50	1.19+1.19+1.19+2.37	5.94	1650	7.6	99	
25+25+35+35	1.19+1.19+1.78+1.78	5.94	1650	7.6	99	